Ohio EPA 12/21/2023
Entered Director's Journal

December 20, 2023

Transmitted Electronically

Cassie R. Johnson, PE
Corporate Remediation Program Manager
Parker Hannifin Corporation
6035 Parkland Blvd.
Cleveland, OH 44124-4186
cassie.johnson@parker.com

Re: Parker Hannifin
Plan
Approval
RCRA C – Hazardous Waste
Pike County
OHD046426409

Subject: Amended Post-Closure Plan Approval

Dear Ms. Johnson:

On September 14, 2023, Ohio EPA received a request from AECOM Environmental, on behalf of Parker Hannifin, for the Former Parker Hannifin facility located at 11197 US Route 23 in Waverly, Ohio. The request seeks to amend the Post-Closure Plan[1], initially approved on October 4, 2001, and last amended on October 3, 2006, with the following changes:

- shutoff of the ground water extraction and treatment system (GWTS) for a trial period to test the findings of a mixing zone analysis, which indicate that deactivating the GWTS will not result in trichloroethene (TCE) concentrations exceeding the established Outside Mixing Zone Average (OMZA) in the surface water of Pee Pee Creek, and will not result in the migration of volatile organic compounds (VOCs) in ground water to the south of Pee Pee Creek, and
- establish criteria that would prompt reactivation of the GWTS, and increase the monitoring frequency to ensure that site conditions are well understood during the trial. Sets a one-year initial duration for the trial period, which Ohio EPA may extend up to three years, after which a decision must be made about the permanent deactivation of the system.

In accordance with the table listed in the Appendix to Ohio Administrative Code (OAC) Rule 3745-50-51, my staff have recommended to the director of Ohio EPA the request be approved as equivalent to a Class 2 permit modification (requiring review and approval). Therefore, the owner, operator and the public were given the opportunity to submit written comments regarding the Amended Post-Closure Plan during the public comment period which ran from October 18 to November 24, 2023. No public comments were received.

Ohio EPA approves Parker Hannifin's above request to amend the Post-Closure Plan submitted pursuant to OAC Rule 3745-55-18, and accordingly Ohio EPA has amended the facility's Post-

[1] http://edocpub.epa.ohio.gov/publicportal/ViewDocument.aspx?docid=2552580

The State of Ohio is an Equal Opportunity Employer and Provider of ADA Services

Closure Plan. Compliance with the approved Amended Post-Closure Plan is expected. Ohio EPA will monitor such compliance. Ohio EPA expressly reserves the right to take action pursuant to chapters 3734. and 6111. of the Ohio Revised Code, and other applicable laws, to enforce such compliance and to seek appropriate remedies in the event of noncompliance with the provisions of this approved plan. Please be advised, approval of this plan does not release Parker Hannifin from any responsibilities regarding corrective action for all releases of hazardous waste or constituents from any waste management unit, regardless of the time at which waste was placed in the unit.

You are hereby notified that this action of the director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within 30 days after notice of the director's action. The appeal must be accompanied by a filing fee of $70.00 (made payable to "Ohio Treasurer of State ") which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the director within three days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
30 East Broad Street, 4th Floor
Columbus, Ohio 43215

When post-closure is completed, OAC rule 3745-55-20 and 3745-66-20 requires the owner or operator of a facility to submit, to the director of Ohio EPA, certification by the owner or operator and a qualified professional engineer, that the post-closure care can be terminated in accordance with the approved post-closure plan. These certifications should be submitted to:

Ohio Environmental Protection Agency
Division of Environmental Response and Revitalization
P.O. Box 1049
Columbus, Ohio 43216-1049
Attn: DERR, Engineering and Risk Assessment Support Unit Manager

A copy should also be sent to:

Ohio Environmental Protection Agency
Southeast District Office
Division of Environmental Response and Revitalization
2195 Front Street
Logan, OH 43138
Attn: DERR, Regional Manager

If you have any questions concerning this letter, contact Trevor Bratton of my staff at trevor.bratton@epa.ohio.gov or (740) 380-5296.

Sincerely,

E-SIGNED by Anne Vogel
on 2023-12-20 19:18:01 GMT

Anne M. Vogel
Director

ec: Eric Sainey, Manager, ERAS, DERR, CO
Melissa Langton, Supervisor, ERAS, DERR, CO
Mitch Mathews, Manager, DERR, CO
Sarah Miles, Legal
Kristy Hunt, DERR, SEDO
Sarah Landers, DERR, SEDO
Trevor Bratton, DERR, SEDO
Kevin O'Hara, DERR, SEDO
Bob Wyrick, AECOM, bob.wyrick@aecom.com
EPA.RCRAInfoData@epa.ohio.gov